

MARS 4









Resolution 18*18um (8520*4320)

```
COB Light Source
```

Print Volume 153.36 *77.76*175mm³



Efficient Heat Dissipation



Laser Engraved Build Plate

Upgraded Plug-in Air Purifier



Open-source GOO Slicing Format (Compatible with multiple slicing software)





Touch Screen







ELEGOO





ELEGOO





Laser Engraved Build Plate Enhance First Layer Adhesion






Upgraded Air Purifier 2.0



Designed for 3D printers, it can effectively absorb the odor molecules emitted by resin. The activated carbon filter is added with a cover to prevent dropping carbon.



The built-in activated carbon filter is added with a cover to prevent damage during shipping

ELEGOO

Smart Voxeldance Tango 3 Printing Modes


1.Static mode: print according to the sliced settings

2.Dynamic (smooth mode): adjust the printing speed dynamically according to the cross-sectional size of the printed model, which reduces the influence of release force

3.Dynamic (high-speed mode): print even faster based on the smooth mode, improves printing efficiency.








*Above data from ELEGOO R&D laboratory

Open-Source GOO Slicing Format

ELEGCO

ELEGOO self-developed Support multiple slicing softwares without restriction







Wide Application

ELEGCO





THANKS

Shenzhen, China