

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: kexcelled 3D printing filament

Product code: PETG K5

Product Use: A filament to be used in 3D printing applications.

Supplier: NorthBridge New Material Technology(Suzhou) Co.,Ltd

Address: Building# B2, Chaoyang Industrial square, Caohu Industrial

Park, Xiangcheng District, Suzhou. CN.

Responsible/issuing person: wilson@northbridge3d.com

Emergency telephone numbers: +86-(0512)-65801831

2. HAZARDS IDENTIFICATION

Classification: 1,4-Benzenedicarboxylic acid, polymer with

1,4-cyclohexanedimethanol and 1,2-ethanediol (CAS No.

025038-91-9) is not classified according to Regulation (EC)

1272/2008 and Directive 67/548/EEC.

Labelling: Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name: copolyester

CAS Number: 25038-59-9

Weight: >99%

Classification: See section 2

4. FIRST AID MEASURES



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

After skin contact: Remove contaminated clothing and shoes.Get medical

attention if skin symptoms occurred. If burned by contact

with hot material, cool molten material adhering to skin as

quickly as possible with water, and see a physician for

removal of adhering material and treatment of burn. Wash

contaminated clothing and shoes before reuse.

After eye contact: Get medical attention if eye symptoms occurred. In case of

contact with molten substance, immediately flush eyes with

water for at least 15 minutes. Get medical attention

immediately.

After ingestion: Get medical attention if swallowed amount of substance.

Indication of immediate medical attention and notes for physician:

Call emergency medical service. Get medical advice/attention

if you needed. Ensure that medical personnel are aware of

the material(s) involved and take precautions to protect

themselves. If burned by contact with molten material, cool

quickly as possible with water, and then go to see a physician

for treatment of burn.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media: CO2, water, san

Special fire-fighting procedures: Wear positive pressure self-contained breathing apparatus

(SCBA). Structural fire fighters' protective clothing will only

provide limited protection.



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

Special exposure hazards: Thermal decomposition products: Not available Hazardous

combustion products: CO2, CO.

Unusual fire and explosion hazards: No explosion hazards

Sensitivity to static discharge: Not available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Stop leak if you can do it without risk. Isolate exposed

area. Keep unauthorized personnel away. Use certificated

protective equipment. Ventilate the leaked area.

Methods for cleaning up/removal: Do not touch or walk through spilled material. Prevent entry

into waterways, sewers, basements or confined areas.

7. HANDLING AND STORAGE

Handling: Avoid contact with molten material. Use general dilution

ventilation and/or local exhaust ventilation to control

airborne exposures.

Prevention of Fire and Explosion: Not available

Storage: Keep container closed. Store container in a well dry/cool

place. Keep away from waterways and sewers. Keep away

from any source of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits/standards: Specific exposure limits have not been established or are not

applicable unless listed below.



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code:	Revision Number:	Revision date:	MSDS No.:
---------------	------------------	----------------	-----------

PETG K5 03 02/08/2021 KS015

NIOSH-TWA: Not applicable

OHSA- TWA: Not applicable

ACGIH-TWA: Not applicable

EU Regulation: Not applicable

Biological Exposure Index: Not applicable

Engineering Controls: Provide local exhaust ventilation system or other

engineering controls to keep the airborne below their

respective threshold limit value. Check legal suitability of

exposure level.

Personal Protection:

Respiratory Protection: Wear NIOSH or European Standard EN 149 approved full or

half face piece (with goggles) respiratory protective

equipment when necessary.

Eye Protection: An eye wash unit and safety shower station should be

available nearby work place. Wear safety glasses to protect

eyes from scattering toxic substance.

Skin Protection: It is a good industrial hygiene practice to minimize skin

contact. When material is heated, wear gloves to protect

against thermal burns.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, translucent, opaque, filament. Solid at room

Odor: Slight odor

pH: Not applicable



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

Melting / freezing point: Not applicable

Initial boiling point and boiling range: Not applicable

Flash point: Not applicable

Flammability: Not applicable

Evaporation rate: Not applicable

Upper/lower flammability or explosive limits:

Not applicable

Vapor pressure: Negligible (20°C)

Vapor density: Not available

Water solubility: Negligible

Specific gravity: > 1

Log partition coefficient (n-octanol/water):

Not available

Auto ignition temperature: 454 °C (ASTM E659)

Decomposition temperature: Not available

Viscosity: Not available

10. STABILITY AND REACTIVITY

Stability: Not available

Conditions to avoid: Avoid contact with incompatible materials. Avoid release to

the environment.

Materials to avoid: Not available

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: Not available



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

Skin corrosion/irritation: Molten material will produce thermal burns

Serious eye damage/irritation: Molten material will produce thermal burns

Respiratory or skin sensitization: Not available

Germ cell mutagenicity: Not available

Carcinogenicity: IARC, NTP, OSHA, CGIH, EU Regulation 1272/2008, US EPA:

not listed

Reproductive toxicity: Not available

STOT-single exposure: Not available

STOT-repeated exposure: Not available

Aspiration hazard: Not available

12. ECOLOGICAL INFORMATION

Toxicity: Not available

Persistence and degradability: Not available

Bioaccumulative potential: Not available

Mobility in soil: Not available

Other adverse effects: Not available

13. DISPOSAL CONSIDERATIONS

Disposal method: Waste must be disposed of in accordance with federal, state

and local environmental control regulations.

Disposal precaution: Consider the require attentions in accordance with waste

treatment management regulation.

14. TRANSPORT INFORMATION



According to Regulation (EC) No.1907/2006

KEXCELLED PETG K5

Product code: Revision Number: Revision date: MSDS No.:

PETG K5 03 02/08/2021 KS015

UN #: Not regulated as a hazardous material.

Class: Not applicable

Proper shipping name: Not applicable

Packing group: Not applicable

Marine pollutant: Not applicable

Other information: Not applicable

15. REGULATORY INFORMATION

Dangerous as defined by the EU CLP 2008:

This product is not classified and labelled as dangerous according to EC directives.

16. OTHER INFORMATION

The information in this Material Safety Data Sheet (MSDS) is based on current knowledge and experience. No liability can be assumed for the accuracy and completeness of this information.