

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name:	kexcelled 3D printing filament
Product code:	PETG K6
Product Use:	A filament to be used in 3D printing applications.
Supplier:	NorthBridge New Material Technology(Suzhou) Co.,Ltd
Address:	Building# B2, Chaoyang Industrial square, Caohu Industrial Park, Xiangcheng District, Suzhou. CN.
Responsible/issuing person:	wilson@northbridge3d.com
Emergency telephone numbers:	+86-(0512)-65801831

2. HAZARDS IDENTIFICATION

Classification:	1,4-Benzenedicarboxylic acid, polymer with 1,4-cyclohexanedimethanol and 1,2-ethanediol (CAS No. 025038- 91-9) is not classified according to Regulation (EC) 1272/2008 and Directive 67/548/EEC.
Labelling:	Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Poly (ethylene terephthalate-co-1,4-cyclohexylenedimethylene terephthalate)
CAS Number:	25038-59-9
Weight:	>98%
Classification:	See section 2

4. FIRST AID MEASURES

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

After skin contact: Remove contaminated clothing and shoes. Get medical attention if skin symptoms occurred. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Wash contaminated clothing and shoes before reuse.

After eye contact: Get medical attention if eye symptoms occurred. In case of contact with molten substance, immediately flush eyes with water for at least 15 minutes. Get medical attention immediately.

After ingestion: Get medical attention if swallowed amount of substance.

Indication of immediate medical attention and notes for physician:

Call emergency medical service. Get medical advice/attention if you needed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If burned by contact with molten material, cool quickly as possible with water, and then go to see a physician for treatment of burn.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media: CO₂, water, san

Special fire-fighting procedures: Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing will only provide limited protection.

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

Special exposure hazards:	Thermal decomposition products: Not available Hazardous combustion products: CO ₂ , CO. Unusual fire and explosion hazards: No explosion hazards
Sensitivity to static discharge:	Not available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Stop leak if you can do it without risk. Isolate exposed area. Keep unauthorized personnel away. Use certificated protective equipment. Ventilate the leaked area.
Methods for cleaning up/removal:	Do not touch or walk through spilled material. Prevent entry into waterways, sewers, basements or confined areas.

7. HANDLING AND STORAGE

Handling:	Avoid contact with molten material. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures.
Prevention of Fire and Explosion:	Not available
Storage:	Keep container closed. Store container in a well dry/cool place. Keep away from waterways and sewers. Keep away from any source of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits/standards:	Specific exposure limits have not been established or are not applicable unless listed below.
-----------------------------------	---

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

NIOSH- TWA: Not applicable

OHSA- TWA: Not applicable

ACGIH- TWA: Not applicable

EU Regulation: Not applicable

Biological Exposure Index: Not applicable

Engineering Controls:

Provide local exhaust ventilation system or other engineering controls to keep the airborne below their respective threshold limit value. Check legal suitability of exposure level.

Personal Protection:

Respiratory Protection:

Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.

Eye Protection:

An eye wash unit and safety shower station should be available nearby work place. Wear safety glasses to protect eyes from scattering toxic substance.

Skin Protection:

It is a good industrial hygiene practice to minimize skin contact. When material is heated, wear gloves to protect against thermal burns.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, translucent, opaque, filament. Solid at room

Odor: Slight odor

pH: Not applicable

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

Melting / freezing point: Not applicable

Initial boiling point and boiling range: Not applicable

Flash point: Not applicable

Flammability: Not applicable

Evaporation rate: Not applicable

Upper/lower flammability or explosive limits:

Not applicable

Vapor pressure: Negligible (20°C)

Density: 1.27g/cm³

Vapor density: Not available

Water solubility: Negligible

Specific gravity: > 1

Log partition coefficient (n-octanol/water):

Not available

Auto ignition temperature: 454 °C (ASTM E659)

Decomposition temperature: Not available

Viscosity: Not available

10. STABILITY AND REACTIVITY

Stability: Not available

Conditions to avoid: Avoid contact with incompatible materials. Avoid release to the environment.

Materials to avoid: Not available

11. TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

Acute Toxicity:	Not available
Skin corrosion/irritation:	Molten material will produce thermal burns
Serious eye damage/irritation:	Molten material will produce thermal burns
Respiratory or skin sensitization:	Not available
Germ cell mutagenicity:	Not available
Carcinogenicity:	IARC, NTP, OSHA, CGIH, EU Regulation 1272/2008, US EPA: not listed
Reproductive toxicity:	Not available
STOT-single exposure:	Not available
STOT-repeated exposure:	Not available
Aspiration hazard:	Not available

12. ECOLOGICAL INFORMATION

Toxicity:	Not available
Persistence and degradability:	Not available
Bioaccumulative potential:	Not available
Mobility in soil:	Not available
Other adverse effects:	Not available

13. DISPOSAL CONSIDERATIONS

Disposal method:	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Disposal precaution:	Consider the require attentions in accordance with waste treatment management regulation.

SAFETY DATA SHEET

According to Regulation (EC) No.1907/2006

KEXCELLED PETG K6

Product code:	Revision Number:	Revision date:	MSDS No.:
PETG K6	01	30/01/2023	KS017

14. TRANSPORT INFORMATION

UN #:	Not regulated as a hazardous material.
Class:	Not applicable
Proper shipping name:	Not applicable
Packing group:	Not applicable
Marine pollutant:	Not applicable
Other information:	Not applicable

15. REGULATORY INFORMATION

Dangerous as defined by the EU CLP 2008:

This product is not classified and labelled as dangerous according to EC directives.

16. OTHER INFORMATION

The information in this Material Safety Data Sheet (MSDS) is based on current knowledge and experience. No liability can be assumed for the accuracy and completeness of this information.