

According to Regulation (EC) No.1907/2006

### **KEXCELLED TPU K7 95A**

Product code: Revision Number: Revision date: MSDS No.:

TPU K7 95A 03 03/08/2021 KS034

#### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product name:** kexcelled 3D printing filament

Product code: TPU K7 95A

**Product Use:** A filament to be used in 3D printing applications.

Supplier: NorthBridge New Material Technology(Suzhou) Co.,Ltd

Address: Building# B2, Chaoyang Industrial square, Caohu Industrial

Park, Xiangcheng District, Suzhou. CN.

**Responsible/issuing person:** wilson@northbridge3d.com

**Emergency telephone numbers:** +86-(0512)-65801831

#### 2. HAZARDS IDENTIFICATION

**Health Effects:** When handled at high temperatures, can cause serious

burns.

**Ingestion:** Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical name:** Thermoplastic polyurethane

**CAS Number:** 9009-54-5

Weight: >98%

#### 4. FIRST AID MEASURES

**Inhalation:** Move to fresh air. Call a physician immediately.

**Skin contact:** Rinse immediately with plenty of water for at least 15



According to Regulation (EC) No.1907/2006

# **KEXCELLED TPU K7 95A**

Product code: Revision Number: Revision date: MSDS No.:

TPU K7 95A 03 03/08/2021 KS034

minutes. If skin irritation persists, call a physician. Cool skin

rapidly with cold water after contact with hot polymer.

**Eye contact:** Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Call a physician immediately.

**Ingestion:** Drink water as a precaution. Never give anything by mouth to

an unconscious person. Do not induce vomiting without

medical advice. Call a physician immediately.

Notes to physician: Treat symptomatically.

**5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media: Foam. Water. Carbon dioxide (CO2). Dry chemical.

**Special protective equipment:** As in any fire, wear self-contained breathing apparatus for

fire fighters pressure demand.

**Under fire conditions:** Cool containers / tanks with spray water. Water mist may

be used to cool closed containers.

**6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions: Use personal protective equipment. See Section 8. Remove

all sources of ignition. Avoid dust formation. Avoid contact

with skin and eyes. Sweep up to prevent slipping hazard.

**Environmental precautions:** Do not flush into surface water or sanitary sewer system. Do

not allow material to contaminate ground water system.

**Methods for cleaning up:** Shovel into suitable container for disposal.

7. HANDLING AND STORAGE



According to Regulation (EC) No.1907/2006

## **KEXCELLED TPU K7 95A**

Product code: Revision Number: Revision date: MSDS No.:

TPU K7 95A 03 03/08/2021 KS034

Safe handling advice: Avoid contact with skin and eyes. Workers should be

protected from the possibility of contact with molten

material during fabrication. Low hazard for usual industrial

or commercial handling. Use personal protective

equipment.

**Storage conditions:** Store in cool place. Keep at temperatures below 50°C(122F).

No special restrictions on storage with other products.

**Precautions:** No special precautions required.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Eye/face protection:** Wear safety glasses for general purpose.

**Hand protection:** Wear gloves (product handled in molten state).

**Skin and body protection:** Wear protective clothing (product handled in molten state).

**Respiratory protection:** In case of dust formation, wear a dust mask.

In case of insufficient ventilation, wear suitable respiratory

equipment.

**Hygiene measures:** Avoid contact with skin, eyes, and clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** filaments. Solid at room temperature.

**Color:** Opaque,transparent.

Odour: Slight odor.

**pH:** Not applicable.

**Vapor pressure:** Not determined.

Vapor density: Not determined.



According to Regulation (EC) No.1907/2006

#### **KEXCELLED TPU K7 95A**

Product code: Revision Number: Revision date: MSDS No.:

TPU K7 95A 03 03/08/2021 KS034

**Evaporation rate:** Not determined.

**Density:** 1.15-1.25g/cm3

Water solubility: Insoluble.

Solubility in other solvents: Noneknown.

#### 10. STABILITY AND REACTIVITY

**Stability:** Stable under recommended storage conditions.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

**Condition to avoid:** extreme heat and ignition sources

#### 11. TOXICOLOGICAL INFORMATION

See section 3 for potential health effects. For detailed toxicological data, write or call the address or emergency number shown in section 1

#### 12. ECOLOGICAL INFORMATION

Mobility: No data available

**Toxicity:** not available

**Bioaccumulation:** Based on consistency and low water solubility, not likely.

#### 13. DISPOSAL CONSIDERATIONS

Controlled incineration or landfill according to local, state or national laws and regulations concerning health and pollution.

#### 14. TRANSPORT INFORMATION

**IMDG:** Not regulated.



According to Regulation (EC) No.1907/2006

### **KEXCELLED TPU K7 95A**

Product code:Revision Number:Revision date:MSDS No.:TPU K7 95A0303/08/2021KS034

ICAO/IATA: Not regulated.

#### **15. REGULATORY INFORMATION**

NOTICE: The information herein is presented in good faith and believed to be accurate as of the print date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws.

#### **16. OTHER INFORMATION**

The information in this Material Safety Data Sheet (MSDS) is based on current knowledge and experience. No liability can be assumed for the accuracy and completeness of this information.